

ROOFLINE AND ANCILLARY PRODUCT GUIDE

































Our vision is to create a better everyday life for window installers across the UK. We believe that our customers deserve support from the beginning to the end of each project, and not just at the point they purchase the materials they need.



Stevenswood are a dedicated uPVC and aluminium window, door, glass, conservatory and accessory trade supplier, established in 1997. We have trade counters across the UK, from Inverness to Gosport and everywhere in between, all with back-up from the country's leading fabricators. The combination of our product choice, customer service, unrivalled support and competitive prices help our trade customers sell smarter, install easier and make more profit on each job.

PRODUCT... Our product range is extensive, and we're proactive in adapting to market demands. We can easily add brands to our ever-growing product range, offering the biggest portfolio of products in the UK. Leading brands available at our trade counters include **REHAU**, **VEKA**, **HALO**, **EUROCELL**, **SOLIDOR** and **VIRTUOSO** as well as various roofing options including **GLOBAL**, **ATLAS**, **ULTRAFRAME** and **SUPALITE**, **REAL** aluminium, plus **SOUDAL**, **RAPIERSTAR**, **ILLBRUCK**, **SWISH**, **MANTHORPE**, **CLEAR AMBER & MANY MORE**.

SERVICE... FREE skips, **FREE** delivery, fast turnaround and technical advice are just some of our standard offerings. As well as this, we have a dedicated branch service team who are easily accessible by phone or email. From quoting to delivering, our perfected internal systems are designed to make your job simple and easy.

MARKETING SUPPORT... Our FREE bespoke marketing service means that with every order you place over £150 you will receive 1 brochure, 10 dropcards and 1 maintenance guide and guarantee (available on the purchase of windows, doors or roofs only). These are all bespoke to your business, designed with your company logo, and contact details on. This service helps your business look more professional and win more orders.

PRICE... Homeowners are looking harder than ever to find a good product at a sensible price. Bulk ordering from our suppliers gives us the buying power to negotiate high discounts. This gives our customers the best prices around for trade windows and doors, plus the service and backup that comes from our trade counters.

In this guide, you will find a list of all the ancillary products available. All items are available from each of our trade counters, and are extremely competitively priced. We want to make life easier for our customers, and ensure that Stevenswood really are a one-stop shop.

Thank you for your business - we look forward to continuing to support you!





FINISHING ACCESSORIES

ILLBRUCK	4
SOUDAL SWS	5
SILICONE	6
FIX ALL	7
FOAM	8
ADHESIVE & REPAIR	9
CLEANING PRODUCTS	10
WINDOW BOARD	11
WINDOW TRIM	12-13
TOOLS	14-17
SCREWS	18-19
YALE	20-21
ULTION	22-23

ROOFLINE PRODUCTS

FASCIAS	24-25
FASCIA PARTS	26
DRY VERGE	27
SOFFITS	28-29
CLADDING	30
NAILS & PINS	31
GUTTERING	32-35
DOWN PIPE	36-37
CAST IRON EFFECT	38
LEAD	39

ILAZING PRODUCTS


GLAZING SHEETS	40-4
MULTIWALL GLAZING	42-4
CORRUGATED GLAZING	44-4
GLAZING BAR	46-!


TP650 is an impregnated, pre-compressed multi-functional sealing tape. It is comprised of open-cell polyurethane soft foam, impregnated with flame-retardant synthetic resin.





Illbruck TP650

• Multi-function sealing tape









illbruck



SP510 is suitable for long term elastic sealing of window and door perimeter joints and movement joints between construction components. It can be used for indoor and outdoor applications and is compatible with metals and most construction materials. This very low emission sealant offers price stability in an ever changing market.

Illbruck SP510

- Easy to tool
- Free from isocyanate's, silicone & solvents
- Low slump
- Can be painted over
- Cost effective



Illbruck - Hybrid - SP510 - 310ml	
Colour	Code
White	ILSP510W
Brown	ILSP510B
Anthracite Grey	ILSP510A
Black	ILSP510BL

The professional window joint system SWS® is a combination of products which provide a long lasting weather tight seal between windows, doors and the building. These products, when used together, have improved performance in terms of thermal and acoustic properties and are fully airtight.





Gun Grade

FLEXIFOAM®




Description	Code
Soudal - SWS - WINDOW & DOOR - GUN GRADE - Blue - 750ml	SWSWDGG
Soudal - SWS - ACRYRUB SWS - White - 290ml	SWSACRYW





Soudal - SWS - Soudaseal 215LM - 290ml		
Colour	Code	
White	SWS215LMW	
Black	SWS215LMBL	
Brown	SWS215LMB	
Teak	SWS215LMT	
Caramel	SWS215LMC	
Anthracite Grey	SWS215LMAG	
Natural Stone Portland	SWS215LMNSP	
Concrete Grey	SWS215LMCG	
Marble Grey	SWS215LMMG	
Travertine	SWS215LMTV	



Silirub LMN is a high-quality neutral, elastical one component joint sealant based on silicones.

- Very easy application
- Permanent colour, UV-resistant
- Stays elastic after curing
- Available in a wide range of colours
- Very good adhesion on many materials
- Low modulus









Soudal - Silicone - SILIRUB N - 300ml	
Colour	Code
White	SNW
Clear	SNCL
Teak	SNT
Brown	SNB

Soudal - Silicone - SMX 506 - 290ml	
Colour	Code
White	SSMXW
Black	SSMXB

Soudal - Exterior Frame Silicone - 270ml	
Colour	Code
White	SEFSW
Clear	SEFSCL
Black	SEFSBL
Brown	SEFSB

The Fix ALL® range of products from Soudal are the perfect answer to all interior and exterior bonding, filling and sealing jobs.

Soudal - Fix ALL - 290ml	
Colour	Code
HIGH TACK - White	SFAHTW
HIGH TACK - Brown	SFAHTB
HIGH TACK - Black	SFAHTBL
HIGH TACK - Grey	SFAHTG
CRYSTAL - Clear	SFAC
X-TREME - White	SFAXW
TURBO - White	SFATW















Description	Code
Soudal - Silicone - SILICONE REMOVAL KIT	SSRK
Soudal - Silicone - SILICONE SPRAY - Clear - 400ml	SSS
Soudal - Lead Sealant - SOUDALEAD Pb - Grey - 300ml	SSLG
Soudal - Acrylic - DEC CAULK - White - 300ml	SDCW
Soudal - Silicone - PVCu GAP FILLER - White - 300ml	SPVCuGFW
Stelmax - 1961 Gap Filler & Sealant - White – 300gm	STEL1961300
Stelmax - 1965 Gap Filler & Sealant - White – 135gm	STEL1965135
Stelmax - 1965 Gap Filler & Sealant - White – 50gm	STEL196550









Soudafoam Door & Window is a top of the line, one component and moisture curing PU-foam. This low pressure formulation makes it ideal for window and door installations and for insulating, sealing and filling all types of joints, gaps and cavities.

Carridal Farms	C- 4-
Soudal - Foam	Code
WINDOW & DOOR - GENIUS GUN - 600ml	SWDGEN
WINDOW & DOOR - GUN GRADE - 750ml	SWDGG
WINDOW & DOOR XTRA - GUN GRADE - 750ml	SWDXGG













SOUDAL

PU REMOVER









Soudal - Adhesive	Code
SUPERGLUE HV - Clear - 50g	SSGHV
SUPERGLUE ACTIVATOR - Clear - 200ml	SSGA
T-REX - SOLVENT BASED - Beige - 310ml	STRS

High Speed acrylic polymer based, lightweight repair plaster. For an easy and quick reparation or filling in walls & ceiling e.g. cracks, screw holes etc. Sandable and over-paintable once dried.

High speed acrylic polymer based, textured repair cement. For easy and quick reparation or filling of joints and cracks in concrete.

Soudal - Repair Express - 290ml	
Description - Colour	Code
Plaster - White	REPXPLAST
Cement - Grey	REPXCEMB
Cement - Beige	REPXCEMG



CLEANING PRODUCTS

Soudal - Cleaning - 1L	
Description	Code
PVCu FRAME CLEANER	SFC
GLASS & MIRROR CLEANER	SGC
PVCu CREAM CLEANER	scc







Soudal - Cleaning	Code
SEALANT REMOVER - 400ml	SSR
TISSUE ROLLS - 150M - White - 190mm	TISSW
DUST SHEET - Natural Cotton - 9ft x 12ft	SDS9x12
100 x SWIPEX WIPES	SSW100



Uniwipe - Cleaning	Code
100 x ULTRA GRIME WIPES	UWUG100



WHITE

5m Length	
Width	Code
150 mm	WB5150W
180 mm	WB5180W
200 mm	WB5200W
225 mm	WB5225W
250 mm	WB5250W

End Cap	
Width	Code
300 mm	WBEC300W
300 11111	W DEC300VV

3m Length	
Width	Code
300 mm	WB3300W
600 mm	WB3600W
900 mm	WB3900W

Joint	
Straight / Ext	Code
380 mm	WBJE380W
Joint Int	Code
380 mm	WBJI380W

GOLDEN OAK

5m Length	
Width	Code
150 mm	WB51500
180 mm	WB51800
200 mm	WB52000
225 mm	WB52250
250 mm	WB52500

End Cap	
Width	Code
300 mm	WBEC3000

3m Langth

3m Length	
Width	Code
300 mm	WB33000
600 mm	WB36000
900 mm	WB39000

Joint	
Straight / Ext	Code
380 mm	WBJE380O
Joint Int	Code
380 mm	WBJI3800

BULLNOSE - WHITE

16mm Replacement	
Width	Code
150 mm	WB5150W
180 mm	WB5180W
200 mm	WB5200W
225 mm	WB5225W
250 mm	WB5250W

9mm Replacement	
Width	Code
150 mm	WB9B150W
175 mm	WB9B175W
200 mm	WB9B200W
225 mm	WB9B225W
250 mm	WB9B250W
300 mm	WB9B300W
405 mm	WB9B405W

Other	
Width	Code
Joint - 500mm	WBJB500W
Internal 90 Corner - 500mm	WBI90B500W
External 90 Corner - 500mm	WBE90B500W
End Cap - 300mm	WBECB300W

Need the right tools for the job? We stock spirit levels, hammers and saws.

STEVENSWOOD IS YOUR ONE-STOP SHOP!



See tools on pg 14.

ROSEWOOD


5m Length	
Width	Code
150 mm	WB5150R
180 mm	WB5180R
200 mm	WB5200R
225 mm	WB5225R
250 mm	WB5250R

End Cap	
Width	Code
300 mm	WBEC300R

3m Length	
Width	Code
300 mm	WB3300R
600 mm	WB3600R
900 mm	WB3900R

Joint	
Straight / Ext	Code
380 mm	WBJE380R
Joint Int	Code
380 mm	WBJI380R

PINE



Code
WBEC300P

3m Len	gth	

3m Length	
Width	Code
300 mm	WB3300P
600 mm	WB3600P
900 mm	WB3900P

Joint		
Straight / Ext	Code	
380 mm	WBJE380P	
Joint Int	Code	
380 mm	WBJI380P	

WINDOW TRIM



Quadrant - 12mm	
Colour	Code
White	WTQ12W
Golden Oak Foil	WTQ120
Rosewood Foil	WTQ12R
Black Foil	WTQ12Z
White Foil	WTQ12K

Quadrant - 18mm	
Colour	Code
White	WTQ18W
Golden Oak Foil	WTQ180
Rosewood Foil	WTQ18R
Anthracite Grey Foil	WTQ18X
Black Foil	WTQ18Z
Irish Oak Foil	WTQ18Q
Chartwell Green Foil	WTQ18L
White Foil	WTQ18K
Cream Foil	WTQ18D
Smooth Anthracite Grey	WTQ18A
Mahogany Foil	QMAH18





D Mould - 25mm	
Colour	Code
White	WTD25W
Golden Oak Foil	WTD250
Rosewood Foil	WTD25R
Anthracite Grey Foil	WTD25X
Black Foil	WTD25Z
Irish Oak Foil	WTD25Q
Chartwell Green Foil	WTD25L
White Foil	WTD25K
Cream Foil	WTD25D
Smooth Anthracite Grey	WTD25A
Mahogany Foil	DMMAH25



Rectangle - 25mm x 20mm	
Colour	Code
Golden Oak Foil	WTR25x200
Rosewood Foil	WTR25x20R
Anthracite Grey Foil	WTR25x20X
Black Foil	WTR25x20Z
Irish Oak Foil	WTR25x20Q
White Foil	WTR25x20K
White	WTR25x20W



Rectangle - 15mm x 13mm	
Colour	Code
White	WTR15x13W
Smooth Anthracite Grey	WTR15x13A



Batten - 25mm	
Colour	Code
White	WTB25W
Golden Oak Foil	WTB25O
Rosewood Foil	WTB25R



Trims for every job!


We stock a full range of uPVC finishing trims.

Get the perfect finish to your installation, every time.

Use our trims with trim tape for instant and fast adhesion (see page 17).



WINDOW TRIM



Architrave - 95mm	
Colour	Code
White	WTA95W
Golden Oak Foil	WTA950
Rosewood Foil	WTA95R
Anthracite Grey Foil	WTA95X
Black Foil	WTA95Z
Irish Oak Foil	WTA95Q
Chartwell Green Foil	WTA95L
White Foil	WTA95K
Cream Foil	WTA95D
Smooth Anthracite Grey	WTA95A



Solid Angle - 25mm	
Colour	Code
White	WTSA25W
Golden Oak Foil	WTSA25O
Rosewood Foil	WTSA25R
Anthracite Grey Foil	WTSA25X
Black Foil	WTSA25Z

Solid Angle - 50mm	
Colour	Code
White	WTSA50W
Golden Oak Foil	WTSA500
Rosewood Foil	WTSA50R
Anthracite Grey Foil	WTSA50X
Black Foil	WTSA50Z

Architrave - 70mm	
Colour	Code
White	WTA70W
Golden Oak Foil	WTA700
Rosewood Foil	WTA70R
Anthracite Grey Foil	WTA70X
Black Foil	WTA70Z
Irish Oak Foil	WTA70Q
Chartwell Green Foil	WTA70L
White Foil	WTA70K
Cream Foil	WTA70D
Smooth Anthracite Grey	WTA70A
Mahogany Foil	ARCMAH70

We supply a huge choice of PVC quadrants, angles, rectangles and Dee moulds. All of which are available in a range of sizes and colours.



Flexible Angle - 50mm	
Colour	Code
White	WTFA50W
Golden Oak Foil	WTFA500
Rosewood Foil	WTFA50R
Black Foil	WTFA50Z

Architrave - 45mm	
Colour	Code
White	WTA45W
Golden Oak Foil	WTA450
Rosewood Foil	WTA45R
Anthracite Grey Foil	WTA45X
Black Foil	WTA45Z
Irish Oak Foil	WTA45Q
Chartwell Green Foil	WTA45L
White Foil	WTA45K
Cream Foil	WTA45D
Smooth Anthracite Grey	WTA45A
Mahogany Foil	ARCMAH45



TOOLS

Guns	Code
Cartridge Gun - Red - 400ml	SCGR
Heavy Duty Cartridge Gun - Dripless Function - Red - 400ml	XCGR
Pu Foam Gun - Black / Red	XFG
Illbruck - PU Foam Gun - Green	IIIPUFGG







Lifters	Code
Aluminium Suction Lifter - Triple - Silver - 120kg	XASL120
Vacuum Glass Lifter - 8" - Black / Red - Individual	XVGL











Glazing Tools	Code
Glazing Shovel - Red	XGS
Gasket / Trim Shears - Red	XGTS
Window Scraper - Silver	WS
10 x Window Scraper Blades - Silver	WSB
Scraper - 80mm Wide Blade	KS80
Winbag Inflatable Air Wedge - Black - 135kg	WINBAG







Hammers	Code
32mm 710 Thor Glazing Hammer	T710GH
32mm 710 White Nylon Face - Individual	T710FW
32mm 710 Grey Rubber Face - Individual	T710FG
16oz Claw Hammer	KCH16

Available in 600mm and 1200mm



KENDO















Levels	Code
Kendo - Ali Spirit Level - 600mm	KSL600
Kendo - Ali Spirit Level - 1200mm	KSL1200
Stanley - Ali Spirit Level - 600mm	SSL600
Stanley - Ali Spirit Level - 1200mm	SSL1200
Combination Square - 300mm	KCS300
Sliding Bevel - 200mm	KSB200



TOOLS










Gloves	Code
Maxiflex - Cut Gloves - Green / Black - Pair	MFCG
Maxiflex - Ultimate Gloves - Black / Grey - Pair	MFUG
Budget - Nitrile Gloves - White - Pair	NG



Tape Measure - Stanley	Code
Tape Measure - Black / Yellow - 5m	STM5
Tape Measure - Black / Yellow - 8m	STM8



Tapes	Code
10mm Glazing Tape - 50 Meters PE - Black - 1mm	GT1BL
10mm Glazing Tape - 25 Meters PE - Black - 3mm	GT3BL
10mm Glazing Tape - 15 Meters PE - Black - 5mm	GT5BL
10mm Trim Tape - 50 Meters PE - White - 1mm	TT1W
Masking Tape - 50 Meters - White - 19mm	MT19W

SCREWS



StarTurn CPF - 200 x Multipurpose (4mm)	
Length	Code
40mm	RST440

Multipurpose (5mm)	
Length	Code
30mm	RST530
40mm	RST540
50mm	RST550
70mm	RST570
80mm	RST580

StarTurn CPF - 100 x Multipurpose (5mm)	
Length	Code
90mm	RST590
100mm	RST5100








StarFix FFT - 1000 x Cover Cap	
Colour	Code
White	RCCW
Brown	RCCB
Black	RCCBL



StarFix FFT - 100 x Masonry Fixing	
Length	Code
62mm	RSF62
82mm	RSF82
102mm	RSF102
112mm	RSF112
122mm	RSF122
142mm	RSF142
152mm	RSF152
182mm	RSF182
202mm	RSF202



StarPVCU WSF - 200 x Baypole / Cill	
Length	Code
50mm	RSPBP50
60mm	RSPBP60
70mm	RSPBP70
100mm	RSPBP100



StarPVCU SPG - 1000 x Friction Stay Repair	
Length	Code
20mm	RSPFSR20
25mm	RSPFSR25



StarPVCU CFG - 1000 x Hardware Repair	
Length	Code
25mm	RSPHR25
38mm	RSPHR38



StarPVCU CSR - 1000 x Door Hinge Repair	
Length	Code
25mm	RSPDHR25
38mm	RSPDHR38

Steel Case - Sorta-Case - Grey - Medium Contents Code SORTCF Filled SORTCE **Empty**

Products available in the filled case with dividers:

182mm StarFix masonry fixing 142mm StarFix masonry fixing 122 mm StarFix masonry fixing 62mm StarFix masonry fixing 82mm StarFix masonry fixing 50mm StarPVCU baypole screws 70mm StarPVCU baypole screws Masonry fixings caps 50mm multipurpose StarTurn 80mm multipurpose StarTurn 6mm - 210mm SDS masonry drill bits 6.5mm - 210mm SDS masonry drill bits Torx, Phillips & Pozi driver bits









Driver Bits	Code
Driver Bit - 10 x Torx - Grey - 25mm	RDT25
Driver Bit - 10 x Phillips No.2 - Grey - 25mm RDP25	
Driver Bit - 10 x Pozi No.2 - Grey - 25mm	RDPZ25





Drill Bits	Code
6mm SDS Drill Bit - Grey - 210mm	RSDS6210
6mm SDS Drill Bit - Grey - 260mm	RSDS6260
6.5mm SDS Drill Bit - Grey - 210mm	RSDS6.5210
6.5mm SDS Drill Bit - Grey - 260mm	RSDS6.5260

Drill Bits	Code
4mm HSS Drill Bit - 119mm	XHSS4119
5mm HSS Drill Bit - 132mm	XHSS5132
6mm HSS Drill Bit - 139mm	XHSS6139
6.5mm HSS Drill Bit - 148mm	XHSS6.5148
10mm HSS Drill Bit - 184mm	XHSS10184









SECURITY 6 PIN - Nickel	
Size	Code
35 x 35	YCYL35x35N
45 x 55	YCYL45x55N
50 x 50	YCYL50x50N

EURO CYLINDER -

EURO CYLINDER - SECURITY 6 PIN - Brass	
Size	Code
35 x 35	YCYL35x35B
45 x 55	YCYL45x55B
50 x 50	YCYL50x50B



PLATINUM 3STAR - Nickel	
Size	Code
35 x 35	YCYLPL35x35N
45 x 55	YCYLPL45x55N
50 x 50	YCYLPL50x50N

FURO CYLINDER



LETTERPLATE - 40/40 THICKNESS - 12"	
Colour	Code
White	YLPW
Black	YLPB
Chrome	YLPC
Gold	YLPG



HANDLE - PVCU INLINE LOCKABLE	
Colour	Code
White	YWHW
Chrome	YWHC
Gold	YWHG

WINDOW



DOOR HANDLE - PVCU UNIVERSAL	
Colour	Code
White	YDHW
Chrome	YDHC
Gold	YDHG



DON'T FORGET TO BUY YOUR DOORS FROM US!



EVERY COMPOSITE DOOR FROM STEVENSWOOD COMES WITH AN ULTION CYLINDER AS STANDARD

VIRTUOSO





We supply a wide selection of composite doors from GRP to solid timber core composite doors. We've also recently introduced the first composite door in the UK market with an aluminium outer frame. All of these options to appeal to a range of budgets and tastes. Our doors are easy to fit and are a great alternative to standard uPVC residential doors. If your homeowner is looking to increase energy efficiency and security, a composite door should be recommended.










Described as 'the most secure lock ever made', the Ultion cylinder has never been beaten in any test and achieved all leading security accreditations. The moment that Ultion detects forced entry it activates an attack lock directly into the central cam, this is 'Lock Down Mode'.



Keyed Alike = Open many doors with 1 key!





CODE

U - Ultion, PAD - Padlock, CYL - Cylinder, CYLT - Cylinder - Thumb Turn, 45x55 - Size, D - Dual, B - Brass, C - Chrome

FASCIAS

A full range of replacement and cover board fascias in white and colours. The standard white guarantee is for 15 Years. The guarantee for colour profiles is 10 Years.



Square - 16mm Replacement										
Size/Colour	W	0	R	Х	Z	Q	K	D	В	Α
150mm	/	/	/	/	/	/	/	/	/	/
175mm	/	/	/	/	/	/	/	/	/	/
200mm	/	/	/	/	/	/		/	/	/
225mm	/	/	/	/	/	/	/	/	/	/
250mm	/	/	/	/	/	/			/	/
300mm	/				/					
405mm DE	/	/	/	/	/	/	/	/	/	/





5m lengths

F - Fascia ↓	S - Profile	W - Colour
F 16	6 S 1	50 W
^		↑
16 - Thick	ness 150	- Height

Flat - 16mm Replacement		
Size	W	
150mm	√	
175mm	/	
200mm	/	
225mm	/	
250mm	/	
405mm DE	√	

Ogee - 16mm Replacement			
Size W			
150mm	/		
175mm	/		
200mm	/		
225mm	/		
250mm	/		
405mm DE	/		



Vented Eaves Protector 3in1

Code

OO31EPB

Size - Colour

1m - Black

10.00
В
A

Q

Κ

D



Bird Comb	
Size - Colour	Code
1m - Black	OOBC1B



Eaves Protector		
Size - Colour	Code	
1.5m - Black	OOEP1.5B	



Over Fascia Vent	
Size - Colour	Code
1m - Black	OOOFV2.5B

CODE - F - Fascia
16 - Thickness
S - Square
F - Flat
O - Ogee
150 - Height

W - Colour


W - White, O - Oak Foil, R - Rosewood Foil, Z - Black Foil, X - Anthracite Grey Foil, Q - Irish Oak Foil, K - White Foil, D - Cream Foil, B - Black, A - Smooth Anthracite Grey, DE - Double Ended Board



Square - 9mm Coverboard										
Size/Colour	W	0	R	Х	Z	Q	K	D	В	А
100mm	1									
150mm	1	/	/	1	/		/	/		
175mm	1	/	/	1	/	/	/	/	/	1
200mm	/	/	/		/				/	/
225mm	1	/	/	1	/	/	/	/	/	1
250mm	/	/	/		/					
300mm	/	/	/	/	/					
405mm DE	1	/	/	1	/	/	/	/	/	1
605mm	/									



Ogee - 9mm Coverboard	
Size/Colour	W
150mm	✓
175mm	1
200mm	1
225mm	1
250mm	1
405mm DE	/



F - Fascias, **9** - Thickness, **S** - Square, **O** - Ogee, **175** - Height, **W** - Colour




Joint - Flat	
Size/Colour	W
500mm DE	✓



Joint - Ogee	
Size/Colour	w
300mm	✓
500mm DE	/



Joint - Squa	re									
Size/Colour	W	0	R	Х	Z	Q	K	D	В	Α
300mm	/	/	1	1	1	/			/	1
500mm DE	/	/	/	1	1		/	/	1	/



CODE - FJ - Fascia Joint,
S - Square, F - Flat, O - Ogee,
300 - Height, W - Colour

FASCIAS




External 90° Corner - Square										
Size/Colour	W	0	R	Х	Z	Q	В	D	К	А
300mm	1	1	/	1	1	1	1			1
500mm	1	1	/	1	/		/	1	/	/

Internal 90° Corner - Square									
Size/Colour	W	0	R	Х	Z	Q	В		
300mm		/	1	1	/	/	/		
500mm DE	1				/				



External 135° Corner - Square	
Size/Colour	W
300mm	1

Internal 135° Corner - Square	
Size/Colour	W
300mm	/





External 90° Corner - Ogee	
Size/Colour	W
300mm	/
500mm DE	/

Internal 90° Corner - Ogee	
Size/Colour	W
500mm DE	/

W - White

O - Oak R - Rosewood

Z - Black Foil

X - Anthracite Grey Foil

Q - Irish Oak Foil


K - White Foil

D - Cream Foil

B - Black

A - Smooth Anthracite Grey

DE - Double Ended Board



End Cap						
Size/Colour	W	0	R	Х	Z	Q
300mm	/	/	/	/	/	/




Gable - Finial					
Size/Colour	W	0	R	Х	Z
340mm	√	/	✓	√	✓

CODE

F - Fascia, I - Internal, E - External, 90 - Degree, S - Square, O - Ogee, 150 - Height, W - Colour







Ridge End - Round - Individual	
Colour	Code
White	DVRER W
Available in - N, B, G, T	



Eaves Closure - Standard - Individual	
Colour	Code
White	DVECSW
Available in - N, B, G, T	

Dry Verge - Right Hand - Individual	
Colour	Code
White	DVDVRH W
Available in - N, B, G, T	





Ridge End - Angled - Individual	
Colour	Code
White	DVREA W
Available in - N, B, G, T	









SOFFITS








CODE - S - Soffit, FBMB -
Flatboard Multipurpose
Board, 150 - Height,
W - Colour





Dual Edged Flatboard		
Size/Colour	W	
100mm	/	Hollow - Soffit Boar
150mm		Size/Colour
		100mm
00mm	✓ <u> </u>	
		300mm




DEFBMB - Dual Edged Flatboard W - Colour Multipurpose Board

CODE - S - Soffit, **DEFBMB** - Dual Edge Flatboard Multipurpose Board, 150 - Height, W - Colour

A. L.	5m lengths
Hollow - Soffit Board	

W	0	R	Χ	Z	Q	N	В
/							
/	1	/	1	/	1	/	/
	W ✓	W 0	W O R	W O R X /	W O R X Z /	W O R X Z Q ✓	W O R X Z Q N /

CODE - S - Soffit, HSB - Hollow Soffit Board, 300 - Height, W - Colour




W - White, O - Oak, R - Rosewood, Z - Black Foil, X - Anthracite Grey Foil, Q - Irish Oak Foil, K - White Foil, D - Cream Foil, N - Brown, B - Black, A - Smooth Anthracite Grey

Stevenswood offer high-quality fascias, soffits, cladding and dry verge to help you add those finishing touches to any roofline project.



Trim - Starter								
Size/Colour	W	0	R	Х	Z	Q	N	В
5m	/	/	/	1	1	/	1	✓




TS - Trim Starter W - Colour

CODE S - Soffit, TS - Trim Starter, 5 - Length, W - Colour





Vented Board - 10mm Air Gap								
Size/Colour	W	0	R	Х	Z			
150mm	/	/	/		/			
175mm	/	/	/		/			
200mm	/							
225mm	/	/	1		/			
300mm	/	/	1	/	/			
405mm	/	/	/		/			




VBA - Vented Board Air Gap W - Colour

CODE - S - Soffit, VBA - Vented Board Air Gap, 150 - Height, W - Colour



Round Vent					
Size/Colour	W	В	С	N	AG
Individual	√	✓	✓	√	✓



RV - Round Vent W - Colour

CODE - S - Soffit, RV - Round Vent, V - Ventilation, W - Colour

CLADDING



Shiplap - 150mm - White	CS150 W
Available in - O, R, Z, X	
Shiplap - 100mm - White Only	CS100W



Butt Joint - Shiplap - 150mm - White	CBJOV100W
Available in - O, R, Z, X	
Butt Joint - Shiplap - 100mm - White Only	CBJS100W



Open V - 100mm - White	COV100 W
Available in - O, R, Z, X	
Open V - 150mm - White Only	COV150W



Butt Joint - Open V - 150mm - White	CBJOV150W	
Available in - O, R, Z		
Butt Joint - Open V - 100mm - White Only	CBJOV100W	



Starter J Trim - Universal - White CSJTU5W	Available in - Z, O, R, Z, X	
		CSJTU5 W



2 Part Trim - Joint - Oak	C2PTJ5 O
Available in - W, R, Z, X	




2 Part Trim - External Corner - White	C2PTEC5 W
Available in - O, R, Z, X	



2 Part Trim - Top Edge Trim - White	C2PTTET5 W
Available in - O, R, Z, X	





Robust PVC cladding profiles in traditional styles, with complimentary joints, trims and fixings.

PVC cladding is an ideal substitute for timber cladding.

- It will not discolour
- Retains its appearance
 - Maintenance free
 - Weather resistant



W - White, O - Oak, R - Rosewood, Z - Black, B - Brown, X - Anthracite Grey Foil

NAILS & PINS

















1 Part Trim - White	
Description - Size	Code
Starter Trim & Batten Cover - 5m	C1PTSTBC5W
Wall Starter Trim - 5m	C1PTWST5W
30mm Ventilation - 5m	C1PT30V5W
External Corner Trim - 5m	C1PTECT5W
Centre Joint Trim - 5m	C1PTCJT5W
Universal Channel & Batten Cover - 5m	C1PTUCBC5W
Drip Trim - 5m	C1PTDT5W
Drip Starter Trim - 5m	C1PTDST5W



Poly Head Pin	
Colour - Size	Code
White - 30mm	NPP30W
White - 40mm	NPP40W
Brown - 30mm	NPP30N
Brown - 40mm	NPP40N
Black - 30mm	NPP30B
Black - 40mm	NPP40B
Caramel - 30mm	NPP30C
Caramel - 40mm	NPP40C
Anthracite Grey - 30mm	NPP30AG
Anthracite Grey - 40mm	NPP40AG
Chartwell Green - 30mm	NPP30CG
Chartwell Green - 40mm	NPP40CG
Cream - 30mm	NPP30D
Cream - 40mm	NPP40D

5 L 11 L 13 H	
Poly Head Nail	
Colour - Size	Code
White - 50mm	NNN50W
White - 65mm	NNN65W
Brown - 50mm	NNN50N
Brown - 65mm	NNN65N
Black - 50mm	NNN50B
Black - 65mm	NNN65B
Caramel - 50mm	NNN50C
Caramel - 65mm	NNN65C
Anthracite Grey - 50mm	NNN50AG
Anthracite Grey - 65mm	NNN65AG
Chartwell Green - 50mm	NNN50CG
Chartwell Green - 65mm	NNN65CG
Cream - 50mm	NNN50D
Cream - 65mm	NNN65D









Guttering - Round - 4m	
Colour	Code
Black	GGR4 B
Available in - W, N, B, AG	

External Stop End - Round	
Colour	Code
Black	GESER B
Available in - W, N, B, AG	

Internal Stop End - Round	
Colour	Code
Black	GISER B
Available in - W, N, B, AG	







Union Bracket - Round - Individual	
Colour	Code
Black	GUBR B
Available in - W. N. B. AG	

90° Corner Bracket - Round - Individual	
Colour	Code
Black	G90CBR B
Available in - W, N, B, AG	

135° Corner Bracket - Round - Individual	
Colour	Code
Black	G135CBR B
Available in - W, N, B	







- Individual	
Colour	Code
Black	GFBR B
Available in - W, N, B, AG	

Stop End Outlet - Round - Individual	
Colour	Code
Black	GSEOR B
Available in - W, N, B	

Running Outlet - Round - Individual	
Colour	Code
Black	GROR B
Available in - W, N, B, AG	







Guttering - Square - 4m	
Colour	Code
Black	GGS4 B
Available in - W, N, B, C	

External Stop End - Square	
Colour	Code
Black	GESES B
Available in - W, N, B, C	

Internal Stop End - Square	
Colour	Code
Black	GISES B
Available in - W, N, B	







Union Bracket - Square - Individual	
Colour	Code
Black	GUBS B
Available in - W, N, B, C	

90° Corner Bracket - Square - Individual	
Colour	Code
Black	G90CBS B
Available in - W, N, B, C	

135° Corner Bracket - Square - Individual	
Colour	Code
Black	G135CBS B
Available in - W, N, B, C	







Fascia Bracket - Square - Individual	
Colour	Code
Black	GFBS B
Available in - W, N, B, C	

Stop End Outlet - Square - Individual	
Colour	Code
Black	GSEOS B
Available in - W, N, B, C	

Running Outlet - Square - Individual	
Colour	Code
Black	GROS B
Available in - W, N, B, C	



Misc Item	Code
Gutter Brush - Black - 4m	OOGB4B



W - White, N - Brown, B - Black, C - Caramel , AG - Anthracite Grey

GUTTERING - OGEE







Guttering - Ogee - 4m	
Colour	Code
Black	GGO4 B
Available in - W, N, B, C, AG	

External Stop End L/H - Ogee	
Colour	Code
Black	GESELO B
Available in - W, N, B, C, AG	

External Stop End R/H - Ogee	
Colour	Code
Black	GESERO B
Available in - W, N, B, C, AG	







Union Bracket	
- Ogee - Individual	

Available in - W, N, B, C, AG	
Black	GUBO B
Colour	Code



Available in - W, N, B, C, AG	
Black	GFBO B
Colour	Code



Available in - W, N, B, C	
Black	GFBTO B
Colour	Code
- Ogee - Individual	







Stop End Outlet L/H - Ogee - Individual

Available in - W, N, B, C	
Black	GSEOLO B
Colour	Code

Stop End Outlet R/H - Ogee - Individual Colour

Black GSEOROB

Available in - W, N, B, C

Running Outlet - Ogee - Individual	
Colour	Code

Available in - W, N, B, C, AG

GROO**B**







Code

Black

90° Corner Bracket - Ogee - Individual

Available in - W, N, B, C, AG	
Internal - Black	G90CBIO B
External - Black	G90CBEO B
Position - Colour	Code

135° Corner Bracket

- Ogee - Individual	
Position - Colour	Code
Internal - Black	G135CBIO B
External - Black	G135CBEO B
Available in - W, N, B, C, AG	


W - White

N - Brown

B - Black

C - Caramel

AG - Anthracite Grey







Guttering - Deep - 4m	
Colour	Code
Black	GGD4 B
Available in - W, N, B, AG	

External Stop End - Deep	
Colour	Code
Black	GESED B
Available in - W, N, B	

Internal Stop End - Deep	
Colour	Code
White	GISED B
Available in - W, N, B, AG	







Union Bracket - Deep - Individual	
Colour	Code
Black	GUBD B
Available in - W, N, B, AG	

- Individual	
Colour	Code
Black	GUBD B
Available in - W, N, B, AG	

135° Corner Bracket - Deep - Individual	
Colour	Code
White	G135CBD B
Available in - W, N, B, AG	









Fascia Bracket - Deep - Individual	
Colour	Code
Black	GFBD B
Available in - W, N, B, AG	





Running Outlet - Deep - Individual
Colour

Available in - W, N, B, AG	
Black G	ROD B
Colour	ode

Adaptor	
Shape - Colour - Size	Code
Sq - Rnd - White - Individual	GASRW
Sq - Rnd - Brown - Individual	GASRN
Sq - Rnd - Black - Individual	GASRB
Deep - Rnd - Black - Individual	GADRB
Ogee - Rnd - Black - Individual	GAORB
Rnd - Ogee - Black - Individual	GAROB
Ogee - Rnd -White - Individual	GAORW
Rnd - Ogee -White - Individual	GAROW
Ogee - Rnd - Brown - Individual	GAORN
Rnd - Ogee - Brown - Individual	GARON

DOWNPIPE



Downpipe - Round - Black	
Size	Code
2.5m	DDEFBR2.5 B
4m	DDEFBR4 B
5.5m	DDEFBR5.5 B
Available in - W, N, B, AG, C*	*2.5m only

Downpipe - Square - Black	
Size	Code
2.5m	DDEFBS2.5 B
4m	DDEFBS4 B
5.5m	DDEFBS5.5 B
Available in - W, N, B, AG, C*	*2.5m 5.5m only



92.5° Offset Bend - Round	
Colour - Size	Code
Black - Individual	D92OBS B
Available in - W, N, B, C, AG	

92.5° Offset Bend - Square	
Colour - Size	Code
Black - Individual	D92OBS B
Available in - W, N, B, C, AG	

112.5° Offset Bend - Round	
Colour - Size	Code
Black - Individual	D112OBR B
Available in - W, N, B, C, AG	

112.5° Offset Bend - Square	
Colour - Size	Code
Black - Individual	D112OBS B
Available in - W, N, B, C, AG	



Pipe Socket - Round	
Colour - Size	Code
Black - Individual	DPSR B
Available in - W, N, B, C, AG	

Pipe Socket - Square	
Colour - Size	Code
Black - Individual	DPSS B
Available in - W, N, B, C, AG	



Code
DAPR B

Access Pipe - Square	
Colour - Size	Code
Black - Individual	DAPS B
Available in - W, N, B	



Available in - W, N, B, C	
Black - Individual	DPASR B
Colour - Size	Code
- Round	

Pipe Adaptor - Square



Branch - Round	
Colour - Size	Code
Black - Individual	DBR B
Available in - W, N, B, C, AG	

Branch - Square	
Colour - Size	Code
Black - Individual	DBS B
Available in - W, N, B, C, AG	



Hopper - Square - Round	
Colour - Size	Code
Black - Individual	DHSR B
Available in - W, N, B, C, AG	



Shoe - Round	
Colour - Size	Code
Black - Individual	DSR B
Available in - W, N, B, C, AG	

Shoe - Square	
Colour - Size	Code
Black - Individual	DSS B
Available in - W, N, B, C, AG	



Pipe Clip - Round

Colour - Size Code

Black - Individual DPCRB

Available in - W, N, B, C, AG

Pipe Clip - Square	
Colour - Size	Code
Black - Individual	DPCS B
Available in - W, N, B, C, AG	

W - White, N - Brown, B - Black, C - Caramel, AG - Anthracite Grey



Shoe



WE'RE YOUR ONE-STOP SHOP!

Need the right tools for the job? We stock spirit levels, hammers and saws.

EVERYTHING YOU NEED AT COMPETITIVE PRICES!
ASK FOR YOUR PRICELIST TODAY.

See tools on pg 14.



CAST IRON EFFECT





G90CBIOCB





Guttering - 4m	
Shape	Code
Ogee	GG O 4CB
Available in - R, D, O	

External Stop End - Ogee	
Option	Code
Left Hand	GESELOCB
Right Hand	GESEROCB

External Stop End	
Shape	Code
Round	GESERCB
Deep	GESEDCB







- Individual	
Option	Code
External	G90CBEOCB

Internal

- Individual	
Shape	Code
Round	G90CBRCB
Deep	G90CBDCB

135° Corner Bracket - Ogee - Individual	
Option	Code
External	G135CBEOCB
Internal	G135CBIOCB





90° Corner Bracket



- Individual	
Shape	Code
Round	G135CBRCB
Deep	G135CBDCB

Fascia Bracket - Individual	
Shape	Code
Round	GFB R CB
Available in - R, D, O	

Union Bracket - Individual	
Shape	Code
Round	GUB R CB
Available in - R, D, O	







Code
GRO R CB

Running Outlet

- Ogee - Individual	
Option	Code
Left Hand	GSEOLOCB
Right Hand	GSEOROCB

Stop End Outlet

Stop End Outlet - Individual	
Shape	Code
Round	GSEORCB

R - Round, D - Deep, O - Ogee



Internal Stop End

Shape - Size	Code
Round - Individual	GUBRCB
Deep - Individual	GUBDCB



Downpipe - 2.5m

Shape	Code
Round	DDEFBR2.5CB
Square	DDEFBS2.5CB



92.5° Offset Bend

Shape - Size	Code
Round - Individual	D92OBRCB
Square - Individual	D92OBSCB

112.5° Offset Bend

Shape - Size	Code
Round - Individual	D112OBRCB
Square - Individual	D112OBSCB



Hopper - Square - Round Colour - Size Code Hopper - with lugs DHSRCB



112.5° Branch

Shape - Size	Code
Round - Individual	DBRCCB
Square - Individual	DBSCB



Pipe Socket - with lugs

Shape - Size	Code
Round - Individual	DPSRCB
Square - Individual	DPSSCB



Shoe - with lugs

Shape - Size	Code
Round - Individual	DSRCB
Square - Individual	DSSCB



Pipe Clip

Shape - Size	Code
Round - Individual	DPCRCB
Square - Individual	DPCSCB



Code 3

Width - Length	Code
6 Inches - 3m	LDC363
6 Inches - 6m	LDC366
9 Inches - 3m	LDC393
9 Inches - 6m	LDC396
12 Inches - 3m	LDC3123
12 Inches - 6m	LDC3126
15 Inches - 6m	LDC3156
18 Inches - 3m	LDC3183
18 Inches - 6m	LDC3186

Code 4

Width - Length	Code
6 Inches - 3m	LDC463
6 Inches - 6m	LDC466
9 Inches - 3m	LDC493
9 Inches - 6m	LDC496
12 Inches - 3m	LDC4123
12 Inches - 6m	LDC4126
15 Inches - 3m	LDC4153
15 Inches - 6m	LDC4156
18 Inches - 3m	LDC4183
18 Inches - 6m	LDC4186

Code 5 (longer lead times apply)

Width - Length	Code
6 Inches - 6m	LDC566
9 Inches - 6m	LDC596
12 Inches - 6m	LDC5126
18 Inches - 3m	LDC5183
18 Inches - 6m	LDC5186

Glazing Products





Glazing Sheets



Multiwall Glazing



Corrugated Roofing Sheets



Self-Supporting Glazing Bars



Glazing Bars

AXGARD®

Glazing Sheets: Clear

AXGARD® Clear sheets are an incredibly versatile glazing solution.

The AXGARD® UV protection on both sides means they are perfectly suited for internal and external applications.

The resin we use to manufacture AXGARD® means that these glazing sheets are 200 times the impact strength of glass of the same thickness and therefore classed as virtually unbreakable. The AXGARD® sheets can be cut to your exact sizes for no extra charge, and can also easily cut to size on site with a fine tooth jigsaw or similar tool.



	Length	Sta	Standard Sheet Sizes: AXGARD® 3mm Clear					
VAT: Jak	500mm	1000mm	1500mm	2000mm	3050mm	4000mm		
Width	Product Codes							
500mm	AP3CUV1	AP3CUV2	AP3CUV3	AP3CUV4	AP3CUV5	AP3CUV22		
1000mm	AP3CUV6	AP3CUV7	AP3CUV8	AP3CUV9	AP3CUV10	AP3CUV23		
2050mm	AP3CUV11	AP3CUV12	AP3CUV13	AP3CUV14	AP3CUV15	AP3CUV24		

	Length	AXGARD® 3	3mm Clear			
Width	620mm	1240mm	2500mm			
Width	Product Codes					
620mm	AP3CUV16	AP3CUV17	AP3CUV18			
1250mm	AP3CUV19	AP3CUV20	AP3CUV21			

Typical Sheet Thicknesses						
2mm	3mm	4mm	5mm			
6mm	8mm	10mm	12mm			

Product codes above are for AXGARD® 3mm clear. Product codes for all other thicknesses are available on request.



Multiwall Glazing: 4mm, 6mm, 10mm

AXIOME® 4mm, 6mm and 10mm sheet thickness options are ideal for many light weight glazing application from Cold Frames to Carports. AXIOME® 4mm, 6mm is available in Clear and the 10mm thickness is available in Clear or Opal.

A full system of SNAPA®, ALUKAP®-XR and ALUKAP®-SS Glazing Bars, Fixing Buttons and Endstop Bars are shown on the following pages.



	Length	Standard Sheet Sizes: AXIOME® Clear						
Width	2000mm	2500mm	3000mm	3500mm	4000mm		5000mm	
wiath	Product Codes (4mm/6mm/10mm)							
690mm	AS4C1 / AS6C1 / AS10C1	AS4C0 / - / AS10C2	AS4C2 / AS6C3 / AS10C3	-/-/ AS10C 4	-/AS6C3/ AS10C5	-/-/ AS10C6	AS4C3 / - / AS10C7	
1050mm	AS4C4 / AS6C5 / AS10C19	AS4C5 / - / AS10C20	AS4C6 / AS6C6 / AS10C21	-/-/ AS10C22	-/AS6C7/ AS10C23	-/-/ AS10C24	AS4C7 / - / AS10C25	
1400mm	-/-/ AS10C28	-/-/ AS10C29	-/-/ AS10C30	-/-/ AS10C31	-/-/AS10C32	-/-/ AS10C33	-/-/ AS10C34	
2100mm	AS4C8 / AS6C9 / AS10C46	AS4C9 / - / AS10C47	AS4C10 / AS6C10 / AS10C48	-/-/ AS10C49	-/AS6C11/ AS10C50	-/-/ AS10C51	AS4C11 / - / AS10C52	

Standard Colours

Clear

Opal

Product codes above are for AXIOME® clear. Product codes for all other colours are available on request.

✓ Free Filter Tape Included

Strong and Lightweight

Free Cut-to-Exact Size

Next Day Delivery



Multiwall Glazing: 16mm, 25mm

AXIOME® 16mm and 25mm sheet thickness options provide added rigidity, spanning and insulation properties.

Ideal for glazed roofing and side wall glazing, AXIOME® is available in Clear, Opal or Bronze on a Next Day Delivery. Standard AXIOME® sizes listed below can be cut down to exact size at no extra cost.



	Length		Standard Sheet Sizes: AXIOME® Clear					
MC 111	2000mm	2500mm	3000mm	3500mm	4000mm	4500mm	5000mm	
Width	Product Codes (16mm/25mm)							
690mm	AS16C1 /	AS16C2 /	AS16C3 /	AS16C4 /	AS16C5 /	AS16C6 /	AS16C7 /	
	AS25C1	AS25C2	AS25C3	AS25C4	AS25C5	AS25C6	AS25C7	
840mm	AS16C10 /	AS16C11 /	AS16C12 /	AS16C13 /	AS16C14 /	AS16C15 /	AS16C16 /	
	AS25C9	AS25C10	AS25C11	AS25C12	AS25C13	AS25C14	AS25C15	
1050mm	AS16C19 /	AS16C20 /	AS16C21 /	AS16C22 /	AS16C23 /	AS16C24 /	AS16C25 /	
	AS25C17	AS25C18	AS25C19	AS25C20	AS25C21	AS25C22	AS25C23	
1250mm	AS16C28 /	AS16C29 /	AS16C30 /	AS16C31 /	AS16C32 /	AS16C33 /	AS16C34 /	
	AS25C25	AS25C26	AS25C27	AS25C28	AS25C29	AS25C30	AS25C31	
1400mm	AS16C37 /	AS16C38 /	AS16C39 /	AS16C40 /	AS16C41 /	AS16C42 /	AS16C43 /	
	AS25C33	AS25C34	AS25C35	AS25C36	AS25C37	AS25C38	AS25C39	
1700mm	AS16C46 /	AS16C47 /	AS16C48 /	AS16C49 /	AS16C50 /	AS16C51 /	AS16C52 /	
	AS25C41	AS25C42	AS25C43	AS25C44	AS25C45	AS25C46	AS25C47	
2100mm	AS16C55 /	AS16C56 /	AS16C57 /	AS16C58 /	AS16C59 /	AS16C60 /	AS16C61 /	
	AS25C49	AS25C50	AS25C51	AS25C52	AS25C53	AS25C54	AS25C55	

Standard Colours						
Clear Opal Bronze						
Product codes above are for AXIOME® Clear.						

Product codes above are for AXIOME® Clear. Product codes for all other colours are available on request.



Corrugated Clear Roofing Sheets

Corrugated clear roofing sheet has been on the market for many years, but has often had a bad reputation due to fast yellowing and a resulting brittleness causing cracks and holes to appear very quickly; this is not the case with CORRAPOL®-Stormproof. CORRAPOL®-Stormproof sheet is extruded from a virtually unbreakable form of resin which offers superior strength, excellent clarity and above all unrivalled weathering characteristics resulting in a very long life span. The UV protection layer on CORRAPOL® keeps the sheet looking great, retains its incredible strength, and allows a very high light transmission.

	CORRAPOL® Stormproof
	CORRA POL *
	\wedge
,	5

n)	
	005
08	COF





ľ	
ı	Clear Fixing Buttons
	1
	ALC: NO.
	CORRAPOL

Clear Fixing Buttons	
Sec.	
1	
, the Contract of the Contract	
CORRAPOL	

	Dimensions	CORRAP	OL® Sheet Siz	es (mm)		
Chack Chula	950 x 2000	950 x 2500	950 x 3000	950 x 4000		
Sheet Style	Product Codes					
CORRAPOL® - STORMPROOF	AC802	AC804	AC806	AC808		
CORRAPOL®-PVC	AC702	AC704	AC706	_		

	CURRAPUL® Accessories
Accessory	Product Codes
CORRAPOL® -PVC Flashing	AC720 (950mm)
CORRAPOL® Foam Eaves Filler	AC42 (900mm)
CORRAPOL® Clear Fixing Buttons	AC30 (Pack of 10)
CORRAPOL® Clear Fixing Buttons	AC32 (Pack of 50)



Quick and Simple Assembly

High Quality Glazing Aesthetics

Ridge, Hip, Gable and Wall Bar Solutions



Bitumen Corrugated: Roofing Sheets

CORRAPOL®-BT

Corrugated Bitumen roofing sheets have been used for many years for roofing applications on outbuilding, sheds, log stores and similar applications. CORRAPOL®-BT is available in four colours; black, green, brown and red. The CORRAPOL®-BT sheets simply overlap on width and length to reduce the need for cutting end sheets.



Sheet Style	Product Codes
Corrugated Sheets	AC110BL, AC110GR,
(930mm x 2000mm)	AC110RE, AC110BR
Ridge Panels	AC118BL, AC118BR,
(1000mm)	AC118RE, AC118GR

Accessories	Product Codes	
Foam Eaves Filler 900mm (Pack of 4)	AC120	
Fixing Buttons	AC30BL, AC30BR,	
(Pack of 10)	AC30RE, AC30GR	
Fixing Buttons	AC32BL, AC32BR,	
(Pack of 50)	AC32RE, AC32GR	
Fixing Pins	AC108BL, AC108BR,	
(Pack of 100)	AC108RE, AC108GR	









© Copyright - Clear Amber Group Ltd - March 2019

Aluminium Self-Supporting Bars




ALUKAP®-SS is manufactured in two bar types. The ALUKAP®-SS low profile bar spans up to 3m unsupported projection, whereas the ALUKAP®-SS high span bar has an incredible span of up to 5m-6m depending on spacings, pitch and location etc. Both ALUKAP®-SS bars will glaze roof sheets of any thickness. Standard Colours are White RAL 9010 and Brown RAL 8040.



ALUKAP®-SS: Typical Roof Component Assembly Example

ALUKAP®-SS Self-Supported Lean-to



View all Available RAL Colours at www.clearamber.com/ralcolours

ALUKAP®-SS can be manufactured in any RAL colour.

© Copyright – Clear Amber Group Ltd – March 2019





ALUKAP®-SS is a robust Self-Supporting glazing bar system, manufactured entirely from powder-coated aluminium extrusions that withstand the toughest and most challenging environments. ALUKAP®-SS is extruded to deliver a high structural spanning strength, providing the ultimate glazing bar system for commercial, residential or public building structures and canopies. Additionally, ALUKAP®-SS is designed to work well with AXIOME® polycarbonate sheet, single glass glazing and double glazed units.



	Length	ALUKAP®-SS Low Profile		
D T	3m		6m	
Bar Type	Product Codes (White / Brown)			
Glazing	AKSS220W /	AKSS224W /	AKSS226W /	
	AKSS220B	AKSS224B	AKSS226B	
Wall	AKSS310W /	AKSS314W /	AKSS316W /	
	AKSS310B	AKSS314B	AKSS316B	
Gable	AKSS350W /	AKSS354W /	AKSS356W /	
	AKSS350B	AKSS354B	AKSS356B	
Walls & Eaves	AKSS620W /	AKSS624W /	AKSS626W /	
	AKSS620B	AKSS624B	AKSS626B	
L-Cap	AKSS230W /	AKSS234W /	AKSS236W /	
	AKSS230B	AKSS234B	AKSS236B	





	Length	ALUKAP®-SS High Span		
Dan Tuna	3m	4.8m	6m	
Bar Type	Product Codes (White / Brown)			
Glazing	AKSS420W /	AKSS424W /	AKSS426W /	
	AKSS420B	AKSS424B	AKSS426B	
Wall	AKSS510W /	AKSS514W /	AKSS516W /	
	AKSS510B	AKSS514B	AKSS516B	
Gable	AKSS550W /	AKSS554W /	AKSS556W /	
	AKSS550B	AKSS554B	AKSS556B	
Walls & Eaves	AKSS620W /	AKSS624W /	AKSS626W /	
	AKSS620B	AKSS624B	AKSS626B	
L-Cap	AKSS430W /	AKSS434W /	AKSS436W /	
	AKSS430B	AKSS434B	AKSS436B	





Low Profile Bar: Spans up to 3000mm unsupported* High Span Bar: Spans up to 6000mm unsupported*

^{*} Spanning quides are available upon request

[©] Copyright - Clear Amber Group Ltd - March 2019

Glazing Bars: Snap-Fix Glazing Bars




SNAPA® Glazing bars are unique budget level glazing bars for where project costs are limited. The SNAPA® Standard Centre bars, and SNAPA® Gable bar options provide quick and easy solutions for rapid roof glazing.



SNAPA®: Typical Roof Component Assembly Example

SNAPA® Rafter Supported Lean-to



© Copyright - Clear Amber Group Ltd - March 2019



SNAPA® Glazing Bars provide a simple cost-effective rafter-top glazing bar solution. SNAPA® glazing bar works well with 10mm, 16mm, 25mm, 32mm and 35mm AXIOME® multiwall or other polycarbonate sheet. Whilst SNAPA® bars are ideal for smaller DIY type projects, where greater longevity of strength are required, ALUKAP®-XR glazing bars are recommended.

AXIOME® will be supplied with a filter tape for the top and bottom which should then be closed off using the ALUKAP®-XR Endstop Bar range for 10mm, 16mm, 25mm and 35mm. Centre point fixing for AXIOME® sheets is simple using the ALUKAP®-XR Fixing Buttons shown below.











	Length	SNAPA® Bars				
Day Type		2.5m	3m	4m	5m	6m
Bar Type		Product Codes (White)				
Lean-To	AG18W	AG19W	AG13W	AG15W	AG14W	AG16W
Gable	AG320W	AG325W	AG330W	AG340W	AG350W	AG360W

	Length	Endstop Bar	
Dan Tana	3m	3.6m	4.8m
Bar Type	Product Codes (White)		
10mm Endstop	AKX106W	AKX108W	AKX110W
16mm Endstop	AKX112W	AKX114W	AKX116W
25mm Endstop	AKX118W	AKX120W	AKX122W
35mm Endstop	AKX130W	AKX132W	AKX134W

Fixing Buttons			
Product Codes (White)			
AG42W (Pack of 10) AG52W (Pack of 50)			

ALUKAP°-XR

Glazing Bars: Aluminium Glazing Bars

ALUKAP®-XR is manufactured in a full suite of profiles, includes concealed fixing on the Standard Bars, Gable Bars, Wall Bars, Hip Bars and a full Ridge Bar system. ALUKAP®-XR bars suitable for glass and AXIOME® Multiwall Roof sheets of any thickness. Standard Colours are White RAL 9010 and Brown RAL 8040.



ALUKAP®-XR: Typical Roof Component Assembly Example

ALUKAP®-XR Rafter Supported Lean-to





ALUKAP®-XR is a superior and market-leading complete aluminium glazing bar system. With a powder-coated aluminium finish the ALUKAP®-XR provides outperforming longevity, with excellent aesthetics.

The high quality design and structure of ALUKAP®-XR merges speed of installation with outstanding performance.











	Length	Glazing Bars with 45mm Rafter Gasket		
Day Tuna	3m	3.6m	4.8m	6m
Bar Type	Product Codes (White/Brown)			n)
45mm	AKX228W /	AKX230W /	AKX232W /	AKX234W /
	AKX228B	AKX230B	AKX232B	AKX234B
60mm	AKX328W /	AKX330W /	AKX332W /	AKX334W /
	AKX328B	AKX330B	AKX332B	AKX334B
60mm Wall	AKX560W /	AKX562W /	AKX564W /	AKX566W /
	AKX560B	AKX562B	AKX564B	AKX566B
60mm Gable	AKX460W /	AKX462W /	AKX464W /	AKX466W /
	AKX460B	AKX462B	AKX464B	AKX466B
Нір	AKX620W /	AKX622W /	AKX624W /	AKX626W /
	AKX620B	AKX622B	AKX624B	AKX626B
Ridge	AKX732W / AKX732B	_	_	AKX762W / AKX762B

	Width	Rafter Gasket	
Cooket Tune	45mm	55mm	
Gasket Type	Product Codes		
Rafter Gasket/m	AT45M	AT55M	
Slot Fit Rafter Gasket/m	AT47M	AT57M	











StevenswoodUK

www.stevenswood.co.uk

Brochure V3.0.

All the information in this brochure is provided for guidance only and is given in good faith, but without warranty or guarantee of any kind, whether implied or expressed. Our policy is to continually improve products, therefore methods, materials and changes of specification may be made from time to time without prior notice. Colour samples printed in this publication should only be used as a guide and are as accurate as our printing process allows.