



Duraflex offers a comprehensive range of windows, doors and conservatories, suitable for all types of buildings. All our products offer exceptional levels of energy efficiency as well as a choice of opening styles and colours.







### **Colours available**

NON-FOILED

WHITE STANDARD LEAD TIME

STANDARD LEAD TIME

BEVELLED PROFILE ONLY AVAILABLE IN WHITE

FOILED				
COLOUR	SIDES	SUBSTRATE	RAL COLOUR	LEAD TIME
ROSEWOOD	1	WHITE	8017	STANDARD LEAD TIME
	2	BROWN	8017	STANDARD LEAD TIME
GOLDEN OAK	1	WHITE	8003	STANDARD LEAD TIME
	2	TAN	8003	STANDARD LEAD TIME
DARK GREY	1	WHITE	7016	STANDARD LEAD TIME
	2	GREY	7016	STANDARD LEAD TIME
WHITE	1	WHITE	9010	ADDITIONAL 10 DAYS
	2	WHITE	9010	ADDITIONAL 10 DAYS
CREAM	1	WHITE	9001	ADDITIONAL 10 DAYS
	2	WHITE	9001	ADDITIONAL 10 DAYS
BLACK BROWN	1	WHITE	8022	ADDITIONAL 10 DAYS
	2	BROWN	8022	ADDITIONAL 10 DAYS
AGATE GREY	1	WHITE	7038	ADDITIONAL 10 DAYS
	2	WHITE	7038	ADDITIONAL 10 DAYS
IRISH OAK	1	WHITE	N/A	ADDITIONAL 10 DAYS
	2	TAN	N/A	ADDITIONAL 10 DAYS
LIGHT GREY	1	WHITE	7001	ADDITIONAL 15 DAYS
	2	WHITE	7001	ADDITIONAL 15 DAYS
CHARTWELL GREEN	1	WHITE	BS 14C35	ADDITIONAL 15 DAYS
	2	WHITE	BS 14C35	ADDITIONAL 15 DAYS
SLATE GREY	1	WHITE	7015	ADDITIONAL 15 DAYS
	2	GREY	7015	ADDITIONAL 15 DAYS

Dual foils are available on all of the above with either White foil or the inside face: Lead time: Additional 20 days.

## **Hardware Options**











### **Standard Window Spec**

- ERA VS1 Shootbolt Central Locking
- ERA Maxim Handle
- YALE Hinge Guards
- YALE Easy Clean Egress Hinge
- Snap-Lok Glass Clips

(Downgrade option available on request)

## Standard Door Spec

- YALE Multi Point Lock
- Fab & Fix Handle
- YALE 3\* Cylinder
- Mila Pro Secure Hinge

(Downgrade option available on request)



### 70mm

# **Slim Outerframe**

## **Intermediate Outerframe**


# **Large Outerframe**








## **Cill Sections**







### **Beads**



28mm Clip-In Featured




28mm Clip-In Bevelled




36mm Flat Bead

### **Bay Poles**

## Additional options available



Window Widgets 90 degree post




Window Widgets variable post



Bay corner post



120° Fixed angle bay reinforcement




135° Fixed angle bay reinforcement



150° Fixed angle bay reinforcement

# **Low Threshold Options**




28mm 46mm


46mm Low UPVC Threshold



68mm Standard Threshold



15mm Low Aluminium Threshold (open in and out options available)



Pick up the Stevenswood Atlas
Price List.

Available in branch or online!

There are plenty of ways to get social with us and keep up to date with all the news, views and helpful information...







All the information in this guide is provided for guidance only and is given in good faith, but without warranty or guarantee of any kind, whether implied or expressed.

Our policy is to continually improve products, therefore methods, materials and changes of specification may be made from time to time without prior notice.

Colour samples printed in this guide should only be used as a guide and are as accurate as our printing process allows.

Please visit our website to find your local trade counter.