

Branch :

Company Name :

Main Number :

Address :

Main Email :

Job Ref :

The following is a **QUOTATION** ☐

ORDER ☐

Signed :

Date :

Please double check all the details on this quote including specifications, dimensions and quantities. Please only sign this quote if you have checked the details carefully as this will be exactly what you receive. No liability will be accepted for errors or omissions. All goods sold are subject to Stevenswood terms and conditions which can be downloaded from www.stevenswood.co.uk/terms-and-conditions. Quotations are valid for 30 days, prices fluctuate. Any amendments to this quotation will result in a re-price at current rates.

All frames must be viewed from outside. All dimensions in mm must include cills and add-ons.



**Run-through
Sash Horns**



**Deep Bottom
Rail**



**Seamless
Corners**



**Fully Mechanical
Joints**



Weatherbar



Astragal Bars

Please note, windows and doors installed from 15th June 2022 will be subject to revised building regulations. It is the **installer's responsibility** to ensure that the products are compliant with the regulations. For more information please speak with one of our advisors.

Your Options to Comply with Doc F (Ventilation)

Colour matched to our window finishes, you can choose between the new Modular Vent or the Link Vent.

Doc F of the Building Regs (England) require:

- Habitable rooms and kitchens: Min. 8000mm² EA / 10,000mm² EA in single story dwellings.
- Bathrooms (with or without a toilet): Min. 4000mm² EA.

Equivalent Area (EA) Overview

If a certain rate of EA is required please include instructions.

Modular Vent			
Window Joints	Window Width	No of Modules	Total EA
Welded	375-499mm	1	2000
Fully Mechanical	516-654mm		
Welded	500-634mm	2	4000
Fully Mechanical	655-793mm		
Welded	635-774mm	3	6000
Fully Mechanical	794-931mm		
Welded	775+ mm	4	8000
Fully Mechanical	932+ mm		

Link Vent			
Window Joints	Window Width	Vent Size	Total EA
Welded	375-644mm	Small	2500
Fully Mechanical	594-813mm		
Welded	645+ mm	Large	5000
Fully Mechanical	814+ mm		

Please note trickle vents cannot be retrofitted.

Please note, all windows above 1700mm in height will come with spiral balance springs. If you wish to request spiral balances on windows below 1700mm in height a £20 charge per window will be applied.



**Modular Vent
External**



**Modular Vent
Internal**



**Link Vent
External**





**Link Vent
Internal**

Specification 1: Base Price

		WIDTH		
		375-699mm	700-1199mm	1200-1500mm
HEIGHT	800-1199mm	£275	+£60	+£105
	1200-1699mm	+£45	+£75	+£125
	1700-2099mm	+£75	+£105	+£140
	2100-2400mm	+£110	+£150	+£210



Specification 1: Comments

Specification 1	Window Colour	Features	Hardware	Glazing
Quantity <input type="text"/> Location <input type="text"/> Width (375-1500mm) <input type="text"/> Height (800-2400mm) <input type="text"/> Transom Drop From Top <input type="text"/> Illustration: <div style="border: 1px solid black; height: 100px; width: 100%;"></div>	External / Internal <input type="checkbox"/> Smooth White / Smooth White <input type="checkbox"/> White Grain / White Grain <input type="checkbox"/> Cream Grain / Cream Grain <input type="checkbox"/> Cream Grain / Smooth White <input type="checkbox"/> Grey Grain / Grey Grain <input type="checkbox"/> Grey Grain / Smooth White <input type="checkbox"/> Agate Grey / Agate Grey <input type="checkbox"/> Agate Grey / Smooth White <input type="checkbox"/> Chartw. Green / Chartw. Green <input type="checkbox"/> Chartw. Green / Smooth White <input type="checkbox"/> Golden Oak / Smooth White <input type="checkbox"/> Irish Oak / Smooth White <input type="checkbox"/> Black Grain / Black Grain <input type="checkbox"/> Black Grain / Smooth White <input type="checkbox"/> Rosewood / Smooth White Bespoke Colours <input type="checkbox"/> Bespoke Smooth/Bespoke Smooth <input type="checkbox"/> Bespoke Smooth/White Smooth <input type="checkbox"/> Bespoke Grain/Bespoke Grain <input type="checkbox"/> Bespoke Grain/White Grain <input type="checkbox"/> Bespoke Grain/Smooth White Bespoke Colour Reference: <input type="text"/> <p><small>Please note that on windows with a woodgrain finish external and smooth white finish internal we are not able to offer tilt facility on the top sash.</small></p>	<input type="checkbox"/> Run-through Sash Horns <input type="checkbox"/> Deep Bottom Rail Authentic Corner Joints <i>Woodgrain only</i> <input type="checkbox"/> Fully Mechanical Joints <input type="checkbox"/> Seamless Corners Min. width 475mm <input type="checkbox"/> Weatherbar Trickle Vent <input type="checkbox"/> Modular Vent <input type="checkbox"/> Link Vent <input type="checkbox"/> Trickle Vent not required Add-ons <i>Included in overall sizes</i> <input type="checkbox"/> 15mm <input type="checkbox"/> 30mm <input type="checkbox"/> 50mm <input type="checkbox"/> Top <input type="checkbox"/> Left <input type="checkbox"/> Right <input type="checkbox"/> External <input type="checkbox"/> Internal Other <input type="checkbox"/> Quick Release Tilt Arms <input type="checkbox"/> Fire Escape <input type="checkbox"/> Fixing Brackets <input type="checkbox"/> Bay Poles & Couplers <input type="checkbox"/> Load Bearing Jacking Kits For Bay Poles <input type="checkbox"/> Arched Head 	Hardware Style <div>   </div> <input type="checkbox"/> Standard <input type="checkbox"/> Heritage <input type="checkbox"/> Locking <input type="checkbox"/> Non-locking Hardware Finish <input type="checkbox"/> White <input type="checkbox"/> Gold <input type="checkbox"/> Chrome <input type="checkbox"/> Satin <input type="checkbox"/> Black <input type="checkbox"/> Graphite <input type="checkbox"/> Bronze <input type="checkbox"/> Antique Black Travel Restrictors <input type="checkbox"/> White <input type="checkbox"/> Gold <input type="checkbox"/> Chrome <input type="checkbox"/> Satin Extra Hardware <input checked="" type="checkbox"/> Lift Hooks x2 per window <input type="checkbox"/> D-Handles x2 per window <input type="checkbox"/> Pole Eyes x2 per window Security Upgrade <input type="checkbox"/> PAS 24 Upgrade <input type="checkbox"/> High Security Lock only	Energy Rating A' WER as Standard <input type="checkbox"/> Laminated / Acoustic WER: 'A' / 1.4W/m²K Obscure Glass <input type="checkbox"/> Satin <input type="checkbox"/> Stipple <input type="checkbox"/> Other: <input type="text"/> <input type="checkbox"/> Top Sash <input type="checkbox"/> Bottom Sash Toughened Glass <input type="checkbox"/> Top Sash <input type="checkbox"/> Bottom Sash Spacer Bar <input type="checkbox"/> Grey <input type="checkbox"/> White <input type="checkbox"/> Black Glazing Bars <input type="checkbox"/> Astragal Bar (Surface) <input type="checkbox"/> Internal Fret Bar Layout <input type="checkbox"/> Single Bar <input type="checkbox"/> Grid <p><small>Include no of squares</small></p> <p>Top Sash: <input type="text"/> squares</p> <p>Bottom Sash: <input type="text"/> squares</p>

Specification 2: Base Price

		WIDTH		
		375-699mm	700-1199mm	1200-1500mm
HEIGHT	800-1199mm	£275	+£60	+£105
	1200-1699mm	+£45	+£75	+£125
	1700-2099mm	+£75	+£105	+£140
	2100-2400mm	+£110	+£150	+£210



Specification 2: Comments

Specification 2	Window Colour	Features	Hardware	Glazing
Quantity <input type="text"/> Location <input type="text"/> Width (375-1500mm) <input type="text"/> Height (800-2400mm) <input type="text"/> Transom Drop From Top <input type="text"/> Illustration: <div style="border: 1px solid black; height: 100px; width: 100%;"></div>	External / Internal <input type="checkbox"/> Smooth White / Smooth White <input type="checkbox"/> White Grain / White Grain <input type="checkbox"/> Cream Grain / Cream Grain <input type="checkbox"/> Cream Grain / Smooth White <input type="checkbox"/> Grey Grain / Grey Grain <input type="checkbox"/> Grey Grain / Smooth White <input type="checkbox"/> Agate Grey / Agate Grey <input type="checkbox"/> Agate Grey / Smooth White <input type="checkbox"/> Chartw. Green / Chartw. Green <input type="checkbox"/> Chartw. Green / Smooth White <input type="checkbox"/> Golden Oak / Smooth White <input type="checkbox"/> Irish Oak / Smooth White <input type="checkbox"/> Black Grain / Black Grain <input type="checkbox"/> Black Grain / Smooth White <input type="checkbox"/> Rosewood / Smooth White Bespoke Colours <input type="checkbox"/> Bespoke Smooth/Bespoke Smooth <input type="checkbox"/> Bespoke Smooth/White Smooth <input type="checkbox"/> Bespoke Grain/Bespoke Grain <input type="checkbox"/> Bespoke Grain/White Grain <input type="checkbox"/> Bespoke Grain/Smooth White Bespoke Colour Reference: <input type="text"/> <p><small>Please note that on windows with a woodgrain finish external and smooth white finish internal we are not able to offer tilt facility on the top sash.</small></p>	<input type="checkbox"/> Run-through Sash Horns <input type="checkbox"/> Deep Bottom Rail Authentic Corner Joints <i>Woodgrain only</i> <input type="checkbox"/> Fully Mechanical Joints <input type="checkbox"/> Seamless Corners Min. width 475mm <input type="checkbox"/> Weatherbar Trickle Vent <input type="checkbox"/> Modular Vent <input type="checkbox"/> Link Vent <input type="checkbox"/> Trickle Vent not required Add-ons <i>Included in overall sizes</i> <input type="checkbox"/> 15mm <input type="checkbox"/> 30mm <input type="checkbox"/> 50mm <input type="checkbox"/> Top <input type="checkbox"/> Left <input type="checkbox"/> Right <input type="checkbox"/> External <input type="checkbox"/> Internal Other <input type="checkbox"/> Quick Release Tilt Arms <input type="checkbox"/> Fire Escape <input type="checkbox"/> Fixing Brackets <input type="checkbox"/> Bay Poles & Couplers <input type="checkbox"/> Load Bearing Jacking Kits For Bay Poles <input type="checkbox"/> Arched Head 	Hardware Style <div>   </div> <input type="checkbox"/> Standard <input type="checkbox"/> Heritage <input type="checkbox"/> Locking <input type="checkbox"/> Non-locking Hardware Finish <input type="checkbox"/> White <input type="checkbox"/> Gold <input type="checkbox"/> Chrome <input type="checkbox"/> Satin <input type="checkbox"/> Black <input type="checkbox"/> Graphite <input type="checkbox"/> Bronze <input type="checkbox"/> Antique Black Travel Restrictors <input type="checkbox"/> White <input type="checkbox"/> Gold <input type="checkbox"/> Chrome <input type="checkbox"/> Satin Extra Hardware <input checked="" type="checkbox"/> Lift Hooks x2 per window <input type="checkbox"/> D-Handles x2 per window <input type="checkbox"/> Pole Eyes x2 per window Security Upgrade <input type="checkbox"/> PAS 24 Upgrade <input type="checkbox"/> High Security Lock only	Energy Rating A' WER as Standard <input type="checkbox"/> Laminated / Acoustic WER: 'A' / 1.4W/m²K Obscure Glass <input type="checkbox"/> Satin <input type="checkbox"/> Stipple <input type="checkbox"/> Other: <input type="text"/> <input type="checkbox"/> Top Sash <input type="checkbox"/> Bottom Sash Toughened Glass <input type="checkbox"/> Top Sash <input type="checkbox"/> Bottom Sash Spacer Bar <input type="checkbox"/> Grey <input type="checkbox"/> White <input type="checkbox"/> Black Glazing Bars <input type="checkbox"/> Astragal Bar (Surface) <input type="checkbox"/> Internal Fret Bar Layout <input type="checkbox"/> Single Bar <input type="checkbox"/> Grid <p><small>Include no of squares</small></p> <p>Top Sash: <input type="text"/> squares</p> <p>Bottom Sash: <input type="text"/> squares</p>

Specification 3: Base Price

		WIDTH		
		375-699mm	700-1199mm	1200-1500mm
HEIGHT	800-1199mm	£275	+£60	+£105
	1200-1699mm	+£45	+£75	+£125
	1700-2099mm	+£75	+£105	+£140
	2100-2400mm	+£110	+£150	+£210



Specification 3: Comments

Specification 3	Window Colour	Features	Hardware	Glazing
Quantity <input type="text"/> Location <input type="text"/> Width (375-1500mm) <input type="text"/> Height (800-2400mm) <input type="text"/> Transom Drop From Top <input type="text"/> Illustration: <div style="border: 1px solid black; height: 100px; width: 100%;"></div>	External / Internal <input type="checkbox"/> Smooth White / Smooth White <input type="checkbox"/> White Grain / White Grain <input type="checkbox"/> Cream Grain / Cream Grain <input type="checkbox"/> Cream Grain / Smooth White <input type="checkbox"/> Grey Grain / Grey Grain <input type="checkbox"/> Grey Grain / Smooth White <input type="checkbox"/> Agate Grey / Agate Grey <input type="checkbox"/> Agate Grey / Smooth White <input type="checkbox"/> Chartw. Green / Chartw. Green <input type="checkbox"/> Chartw. Green / Smooth White <input type="checkbox"/> Golden Oak / Smooth White <input type="checkbox"/> Irish Oak / Smooth White <input type="checkbox"/> Black Grain / Black Grain <input type="checkbox"/> Black Grain / Smooth White <input type="checkbox"/> Rosewood / Smooth White Bespoke Colours <input type="checkbox"/> Bespoke Smooth/Bespoke Smooth <input type="checkbox"/> Bespoke Smooth/White Smooth <input type="checkbox"/> Bespoke Grain/Bespoke Grain <input type="checkbox"/> Bespoke Grain/White Grain <input type="checkbox"/> Bespoke Grain/Smooth White Bespoke Colour Reference: <input type="text"/> <p><small>Please note that on windows with a woodgrain finish external and smooth white finish internal we are not able to offer tilt facility on the top sash.</small></p>	<input type="checkbox"/> Run-through Sash Horns <input type="checkbox"/> Deep Bottom Rail Authentic Corner Joints <i>Woodgrain only</i> <input type="checkbox"/> Fully Mechanical Joints <input type="checkbox"/> Seamless Corners Min. width 475mm <input type="checkbox"/> Weatherbar Trickle Vent <input type="checkbox"/> Modular Vent <input type="checkbox"/> Link Vent <input type="checkbox"/> Trickle Vent not required Add-ons <i>Included in overall sizes</i> <input type="checkbox"/> 15mm <input type="checkbox"/> 30mm <input type="checkbox"/> 50mm <input type="checkbox"/> Top <input type="checkbox"/> Left <input type="checkbox"/> Right <input type="checkbox"/> External <input type="checkbox"/> Internal Other <input type="checkbox"/> Quick Release Tilt Arms <input type="checkbox"/> Fire Escape <input type="checkbox"/> Fixing Brackets <input type="checkbox"/> Bay Poles & Couplers <input type="checkbox"/> Load Bearing Jacking Kits For Bay Poles <input type="checkbox"/> Arched Head 	Hardware Style   <input type="checkbox"/> Standard <input type="checkbox"/> Heritage <input type="checkbox"/> Locking <input type="checkbox"/> Non-locking Hardware Finish <input type="checkbox"/> White <input type="checkbox"/> Gold <input type="checkbox"/> Chrome <input type="checkbox"/> Satin <input type="checkbox"/> Black <input type="checkbox"/> Graphite <input type="checkbox"/> Bronze <input type="checkbox"/> Antique Black Travel Restrictors <input type="checkbox"/> White <input type="checkbox"/> Gold <input type="checkbox"/> Chrome <input type="checkbox"/> Satin Extra Hardware <input checked="" type="checkbox"/> Lift Hooks x2 per window <input type="checkbox"/> D-Handles x2 per window <input type="checkbox"/> Pole Eyes x2 per window Security Upgrade <input type="checkbox"/> PAS 24 Upgrade <input type="checkbox"/> High Security Lock only	Energy Rating A' WER as Standard <input type="checkbox"/> Laminated / Acoustic WER: 'A' / 1.4W/m²K Obscure Glass <input type="checkbox"/> Satin <input type="checkbox"/> Stipple <input type="checkbox"/> Other: <input type="text"/> <input type="checkbox"/> Top Sash <input type="checkbox"/> Bottom Sash Toughened Glass <input type="checkbox"/> Top Sash <input type="checkbox"/> Bottom Sash Spacer Bar <input type="checkbox"/> Grey <input type="checkbox"/> White <input type="checkbox"/> Black Glazing Bars <input type="checkbox"/> Astragal Bar (Surface) <input type="checkbox"/> Internal Fret Bar Layout <input type="checkbox"/> Single Bar <input type="checkbox"/> Grid Include no of squares Top Sash: <input type="text"/> squares Bottom Sash: <input type="text"/> squares

Specification 4: Base Price

		WIDTH		
		375-699mm	700-1199mm	1200-1500mm
HEIGHT	800-1199mm	£275	+£60	+£105
	1200-1699mm	+£45	+£75	+£125
	1700-2099mm	+£75	+£105	+£140
	2100-2400mm	+£110	+£150	+£210

Specification 4: Comments

Specification 4	Window Colour	Features	Hardware	Glazing
Quantity <input type="text"/> Location <input type="text"/> Width (375-1500mm) <input type="text"/> Height (800-2400mm) <input type="text"/> Transom Drop From Top <input type="text"/> Illustration: <div style="border: 1px solid black; height: 100px; width: 100%;"></div>	External / Internal <input type="checkbox"/> Smooth White / Smooth White <input type="checkbox"/> White Grain / White Grain <input type="checkbox"/> Cream Grain / Cream Grain <input type="checkbox"/> Cream Grain / Smooth White <input type="checkbox"/> Grey Grain / Grey Grain <input type="checkbox"/> Grey Grain / Smooth White <input type="checkbox"/> Agate Grey / Agate Grey <input type="checkbox"/> Agate Grey / Smooth White <input type="checkbox"/> Chartw. Green / Chartw. Green <input type="checkbox"/> Chartw. Green / Smooth White <input type="checkbox"/> Golden Oak / Smooth White <input type="checkbox"/> Irish Oak / Smooth White <input type="checkbox"/> Black Grain / Black Grain <input type="checkbox"/> Black Grain / Smooth White <input type="checkbox"/> Rosewood / Smooth White Bespoke Colours <input type="checkbox"/> Bespoke Smooth/Bespoke Smooth <input type="checkbox"/> Bespoke Smooth/White Smooth <input type="checkbox"/> Bespoke Grain/Bespoke Grain <input type="checkbox"/> Bespoke Grain/White Grain <input type="checkbox"/> Bespoke Grain/Smooth White Bespoke Colour Reference: <input type="text"/> <p><small>Please note that on windows with a woodgrain finish external and smooth white finish internal we are not able to offer tilt facility on the top sash.</small></p>	<input type="checkbox"/> Run-through Sash Horns <input type="checkbox"/> Deep Bottom Rail Authentic Corner Joints <i>Woodgrain only</i> <input type="checkbox"/> Fully Mechanical Joints <input type="checkbox"/> Seamless Corners Min. width 475mm <input type="checkbox"/> Weatherbar Trickle Vent <input type="checkbox"/> Modular Vent <input type="checkbox"/> Link Vent <input type="checkbox"/> Trickle Vent not required Add-ons <i>Included in overall sizes</i> <input type="checkbox"/> 15mm <input type="checkbox"/> 30mm <input type="checkbox"/> 50mm <input type="checkbox"/> Top <input type="checkbox"/> Left <input type="checkbox"/> Right <input type="checkbox"/> External <input type="checkbox"/> Internal Other <input type="checkbox"/> Quick Release Tilt Arms <input type="checkbox"/> Fire Escape <input type="checkbox"/> Fixing Brackets <input type="checkbox"/> Bay Poles & Couplers <input type="checkbox"/> Load Bearing Jacking Kits For Bay Poles <input type="checkbox"/> Arched Head 	Hardware Style   <input type="checkbox"/> Standard <input type="checkbox"/> Heritage <input type="checkbox"/> Locking <input type="checkbox"/> Non-locking Hardware Finish <input type="checkbox"/> White <input type="checkbox"/> Gold <input type="checkbox"/> Chrome <input type="checkbox"/> Satin <input type="checkbox"/> Black <input type="checkbox"/> Graphite <input type="checkbox"/> Bronze <input type="checkbox"/> Antique Black Travel Restrictors <input type="checkbox"/> White <input type="checkbox"/> Gold <input type="checkbox"/> Chrome <input type="checkbox"/> Satin Extra Hardware <input checked="" type="checkbox"/> Lift Hooks x2 per window <input type="checkbox"/> D-Handles x2 per window <input type="checkbox"/> Pole Eyes x2 per window Security Upgrade <input type="checkbox"/> PAS 24 Upgrade <input type="checkbox"/> High Security Lock only	Energy Rating A' WER as Standard <input type="checkbox"/> Laminated / Acoustic WER: 'A' / 1.4W/m²K Obscure Glass <input type="checkbox"/> Satin <input type="checkbox"/> Stipple <input type="checkbox"/> Other: <input type="text"/> <input type="checkbox"/> Top Sash <input type="checkbox"/> Bottom Sash Toughened Glass <input type="checkbox"/> Top Sash <input type="checkbox"/> Bottom Sash Spacer Bar <input type="checkbox"/> Grey <input type="checkbox"/> White <input type="checkbox"/> Black Glazing Bars <input type="checkbox"/> Astragal Bar (Surface) <input type="checkbox"/> Internal Fret Bar Layout <input type="checkbox"/> Single Bar <input type="checkbox"/> Grid Include no of squares Top Sash: <input type="text"/> squares Bottom Sash: <input type="text"/> squares